Atherosclerosis, 66 (1987) 278–280
Elsevier Scientific Publishers Ireland, Ltd.

Author Index (Vol. 66)

Aalto-Setälä, K., Kontula, K., Sane, T., Nieminen, M. and Nikkilä, E. (DNA polymorphisms of apolipoprotein A-I/C-III and insulin genes in familial hypertriglyceridemia and coronary heart disease) 145
Abeywardena, M.Y., McLennan, P.L. and Charnock, J.S. (Long-term saturated fat supplementation in the rat causes an increase in PGI2/TBX2 ratio of platelet and vessel wall compared to $n-3$ and $n-6$ dietary fatty acids) 181
Alexander, M., see Portman, O.W., 227
Alexiev, C., see Baydanoff, S., 163
Angel, A., see Groos, G., 269
Arbogast, B.W. and Dreher, N.J. (Coronary disease prediction using a new atherogenic index) 55
Arellano, R., see Groos, G., 269
Arntzenius, A.C., see Kromhout, D., 99

Bakker, D.J., see Holub, B.J., 11
Barbenel, J.C., see Saniabadi, A.R., 175
Bard, J.M., see Duriez, P., 153
Barnhart, R.L., see Jackson, R.L., 37
Barth, J.D., see Kromhout, D., 99
Baydanoff, S., Nicoloff, G. and Alexiev, C. (Age-related changes in the level of circulating elastin-derived peptides in serum from normal and atherosclerotic subjects) 163
Berlin, E., Judd, J.T., Marshall, M.W. and Kliman, P.G. (Dietary linoleate increases fluidity and influences chemical composition of plasma low density lipoprotein in adult men) 215
Bertrand, M., see Duriez, P., 153
Born, G.V.R., see Shafi, S., 131
Bruckner, G., Webb, P., Greenwell, L., Chow, C. and Richardson, D. (Fish oil increases peripheral capillary blood cell velocity in humans) 237

Capatos, D., see Fincham, J.E., 205
Cauley, J.A., Kriska, A.M., LaPorte, R.E., Sandler, R.B. and Pambianco, G. (A two year randomized exercise trial in older women: effects on HDL-cholesterol) 247
Chao, Y.-s., see Hao, Q.-l., 125
Charnock, J.S., see Abeywardena, M.Y., 181
Chen, B.-s., see Hao, Q.-l., 125
Chen, S.-l., see Hao, Q.-l., 125
Chow, C., see Bruckner, G., 237
Cleary, M.P., Kasiske, B., O'Donnell, M.P. and Keane, W.F. (Effect of long-term clofibric acid treatment on serum and tissue lipid and cholesterol levels in obese Zucker rats) 107

Demacker, P.N.M., van Heijst, P.J., Hak-Lemmers, H.L.M. and Stalenhoef, A.F.H. (A study of the lipid transport system in the cat, *Felix domesticus*) 113
Demarquilly, C., see Duriez, P., 153
Dreher, N.J., see Arbogast, B.W., 55
Duriez, P., Vu Dac, N., Koffigan, M., Puchois, P., Demarquilly, C., Fievet, C., Fievet, P., Luyeye, I., Bard, J.M., Fourrier, J.L., Slimane, N., Lablanche, J.M., Bertrand, M. and Fruchart, J.C. (Detection of human apolipoprotein B polymorphic species with one monoclonal antibody (BIP 45) against low density lipoprotein. Influence of this polymorphism on lipid levels and coronary artery stenosis) 153

Faber, M., see Fincham, J.E., 191
Feffer, S.E., see Saladino, C.F., 19
Fievet, C., see Duriez, P., 153
Fievet, P., see Duriez, P., 153
Fincham, J.E., Faber, M., Weight, M.J., Labadarios, D., Taljaard, J.J.F., Steytler, J.G., Jacobs, P. and Kritchevsky, D. (Diets realistic for westernised people significantly effect lipoproteins, calcium, zinc, vitamins C, E, B_6 and haematology in Vervet monkeys) 191
Fincham, J.E., Woodroof, C.W., Van Wyk, M.J., Capatos, D., Weight, M.J., Kritchevsky, D. and Rossouw, J.E. (Promotion and regression of atherosclerosis in Vervet monkeys by diets realistic for westernised people) 205
Fong, B., see Groos, G., 269
Forbes, C.D., see Saniabadi, A.R., 175
Fornas, E. and Fortea, A. (Autoradiography of endothelium in whole rat aorta by a new method) 95
Fortea, A., see Fornas, E., 95
Fourrier, J.L., see Duriez, P., 153
Fox, R.L., see Saladino, C.F., 19
Fruchart, J.C., see Duriez, P., 153
Funahashi, T., see Yamashita, T., 171

Gebhardt, G., see Massmann, J., 77
Genda, A., Nakayama, A., Shimizu, M., Nunoda, S., Sugihara, N., Suematzu, T., Kita, Y., Yoshimura, A., Koizumi, J., Mabuchi, H. and Takeda, R. (Coronary angiographic characteristics in Japanese patients with heterozygous familial hypercholesterolemia) 29
Greenwell, L., see Bruckner, G., 237
Groos, G., Sykes, M., Arellano, R., Fong, B. and Angel, A. (HDL clearance and receptor-mediated catabolism of LDL are reduced in hypothyroid rabbits) 269

0021-9150/87/$03.50 © 1987 Elsevier Scientific Publishers Ireland, Ltd.

Hak-Lemmers, H.L.M., see Demacker, P.N.M., 113
Hao, Q.-l., Yamin, T.-t., Pan, T.-c., Chen, S.-l., Chen, B.-s., Kroon, P.A. and Chao, Y.-s. (Isolation and characterization of a full-length rabbit apolipoprotein E cDNA) 125
Hayakawa, K., Shimizu, T., Ohba, Y., and Tomioka, S. (Lifestyle factors affecting intrapair differences of serum apoproteins and cholesterol concentrations in adult identical twins) 1
Hayashi, H., Naito, C., Ito, H., Kawamura, M., Miyazaki, S. and Kumai, M. (Enhanced degradation of low density lipoprotein in human monocyte-derived macrophages associated with an increase in its free fatty acid content) 139
Hayashi, K., Takamizawa, K., Nakamura, T., Kato, T. and Tsushima, N. (Effects of elastase on the stiffness and elastic properties of arterial walls in cholesterol-fed rabbits) 259
Holub, B.J., Bakker, D.J. and Skeaff, C.M. (Alterations in molecular species of cholesterol esters formed via plasma lecithin-cholesterol acyltransferase in human subjects consuming fish oil) 11

Ito, H., see Hayashi, H., 139

Jackson, R.L., Barnhart, R.L. and Kashyap, M.L. (Characterization of high density lipoproteins from patients with severe hypertriglyceridemia) 37
Jacobs, P., see Fincham, J.E., 191
Jonas, E.A., see Saladino, C.F., 19
Judd, J.T., see Berlin, E., 215

Karpowicz, F., see Saladino, C.F., 19
Kashyap, M.L., see Jackson, R.L., 37
Kasiske, B., see Cleary, M.P., 107
Kato, T., see Hayashi, K., 259
Kawamura, M., see Hayashi, H., 139
Keane, W.F., see Cleary, M.P., 107
Keen, G.A., see Thompson, W.D., 85
Kempen, H.J., see Kromhout, D., 99
Kempen-Voogd, N., see Kromhout, D., 99
Kita, Y., see Genda, A., 29
Kliman, P.G., see Berlin, E., 215
Koffigan, M., see Duriez, P., 153
Koizumi, J., see Genda, A., 29
Kontula, K., see Aalto-Setälä, K., 145
Kriska, A.M., see Cauley, J.A., 247
Kritchevsky, D., see Fincham, J.E., 191
Kritchevsky. D.. see Fincham, J.E., 205
Kromhout, D., Arntzenius, A.C., Kempen-Voogd, N., Kempen, H.J., Barth, J.D., van der Voort, H.A. and van der Velde, E.A. (Long-term effects of a linoleic acid-enriched diet, changes in body weight and alcohol consumption on serum total and HDL-cholesterol) 99
Kroon, P.A., see Hao, Q.-l., 125
Kumai, M., see Hayashi, H., 139

LaPorte, R.E., see Cauley, J.A., 247
Labadarios, D., see Fincham, J.E., 191
Lablanche, J.M., see Duriez, P., 153
Lowe, G.D.O., see Saniabadi, A.R., 175
Lurie, Y. and Schoenfeld, N. (Cardiac catheterization in a case of homozygous familial hypercholesterolemia) 169
Luyeye, I., see Duriez, P., 153

Mabuchi, H., see Genda, A., 29
Madhok, R., see Saniabadi, A.R., 175
Marshall, M.W., see Berlin, E., 215
Massmann, J., Trimper, B. and Gebhardt, G. (Failure of foreign serum injections to induce immune vasculitis and to accelerate spontaneous or cholesterol-induced atherosclerosis in swine) 77
Matsuzawa, Y., see Yamashita, T., 171
McGuigan, C.J., see Thompson, W.D., 85
McLennan, P.L., see Abeywardena, M.Y., 181
Mirkiewicz, E., see Naruszewicz, M., 45
Miyazaki, S., see Hayashi, H., 139

Naito, C., see Hayashi, H., 139
Nakajima, T., see Yamashita, T., 171
Nakamura, T., see Hayashi, K., 259
Nakamura, T., see Yamashita, T., 171
Nakayama, A., see Genda, A., 29
Naruszewicz, M., Wozny, E., Mirkiewicz, E., Nowicka, G. and Szostak, W.B. (The effect of thermally oxidized soya bean oil on metabolism of chylomicrons. Increased uptake and degradation of oxidized chylomicrons in cultured mouse macrophages) 45
Nicoloff, G., see Baydanoff, S., 163
Nieminen, M., see Aalto-Setälä, K., 145
Nikkilä, E., see Aalto-Setälä, K., 145
Nowicka, G., see Naruszewicz, M., 45
Nunoda, S., see Genda, A., 29

O'Donnell, M.P., see Cleary, M.P., 107
O'Malley, J.P., see Portman, O.W., 227
Ohba, Y., see Hayakawa, K., 1
Overturf, M., Sybers, H., Schaper, J. and Taegtmeyer, H. (Hypertension and atherosclerosis in cholesterol-fed rabbits II. One-kidney, one clip Goldblatt hypertension treated with nifedipine) 63

Palinski, W., see Shafi, S., 131
Pambianco, G., see Cauley, J.A., 247
Pan, T.-c., see Hao, Q.-l., 125
Portman, O.W., O'Malley, J.P. and Alexander, M. (Metabolism of native and acetylated low density lipoproteins in squirrel monkeys with emphasis on aortas with varying severities of atherosclerosis) 227
Puchois, P., see Duriez, P., 153

Richardson, D., see Bruckner, G., 237
Rossouw, J.E., see Fincham, J.E., 205

Saladino, C.F., Fox, R.L., Yeh, Q., Karpowicz, F., Feffer, S.E. and Jonas, E.A. (Platelet aggregability in rats with early atherosclerotic changes induced by parenterally-administered lipid emulsions) 19
Sandler, R.B., see Cauley, J.A., 247

Sane, T., see Aalto-Setälä, K., 145
Saniabadi, A.R., Lowe, G.D.O., Madhok, R., Spowart, K., Shaw, B., Barbenel, J.C. and Forbes, C.D. (Red blood cells mediate spontaneous aggregation of platelets in whole blood) 175
Schaper, J., see Overturf, M., 63
Schoenfeld, N., see Lurie, Y., 169
Shafi, S., Palinski, W. and Born, G.V.R. (Comparison of uptake and degradation of low density lipoproteins by arteries and veins of rabbits) 131
Shaw, B., see Saniabadi, A.R., 175
Shimizu, M., see Genda, A., 29
Shimizu, T., see Hayakawa, K., 1
Skeaff, C.M., see Holub, B.J., 11
Slimane, N., see Duriez, P., 153
Smith, E.B., see Thompson, W.D., 85
Snijder, C., see Thompson, W.D., 85
Spowart, K., see Saniabadi, A.R., 175
Stalenhoef, A.F.H., see Demacker, P.N.M., 113
Steytler, J.G., see Fincham, J.E., 191
Suematzu, T., see Genda, A., 29
Sugihara, N., see Genda, A., 29
Sybers, H., see Overturf, M., 63
Sykes, M., see Groos, G., 269
Szostak, W.B., see Naruszewicz, M., 45

Taegtmeyer, H., see Overturf, M., 63
Takamizawa, K., see Hayashi, K., 259
Takeda, R., see Genda, A., 29
Taljaard, J.J.F., see Fincham, J.E., 191
Tarui, S., see Yamashita, T., 171
Thompson, G.R. (Cardiac catheterization in homozygous familial hypercholesterolemia) 173
Thompson, W.D., McGuigan, C.J., Snijder, C., Keen, G.A. and Smith, E.B. (Mitogenic activity in human atherosclerotic lesions) 85
Tomioka, S., see Hayakawa, K., 1
Trimper, B., see Massmann, J., 77
Tsushima, N., see Hayashi, K., 259

Van Heijst, P.J., see Demacker, P.N.M., 113
Van der Velde, E.A., see Kromhout, D., 99
Van der Voort, H.A., see Kromhout, D., 99
Van Wyk, M.J., see Fincham, J.E., 205
Vu Dac, N., see Duriez, P., 153

Webb, P., see Bruckner, G., 237
Weight, M.J., see Fincham, J.E., 191
Weight, M.J., see Fincham, J.E., 205
Woodroof, C.W., see Fincham, J.E., 205
Wozny, E., see Naruszewicz, M., 45

Yamashita, T., Nakamura, T., Funahashi, T., Nakajima, T., Matsuzawa, Y. and Tarui, S. (Significance of cardiac catheterization for asymptomatic patients with familial hypercholesterolemia) 171
Yamin, T.-T., see Hao, Q.-l., 125
Yeh, Q., see Saladino, C.F., 19
Yoshimura, A., see Genda, A., 29

Atherosclerosis, 66 (1987) 281–285
Elsevier Scientific Publishers Ireland, Ltd.

Subject Index (Vol. 66)

Achilles tendon thickness
–, Heterozygous familial hypercholesterolemia; Angiography, coronary; Cholesterol serum; HDL-cholesterol; Coronary ectasia; Angiogram, normal coronary, 29
Adipose tissue cellularity
–, Glucose-6-phosphate dehydrogenase; Fatty acid synthesis; Malic enzyme, 107
ADP
–, Red blood cells, Spontaneous platelet aggregation; Prostacyclin; Iloprost; 2-Chloroadenosine, 175
Adult females (monkeys)
–, Iron; Folic acid; Western diets; Lipid clearance; Cholesterol crystals; Fibrosis; Metastatic mineralisation; Arteriosclerosis, 205
Adult men
–, Dietary linoleate; Plasma lipoprotein fluidity; Chemical composition of plasma lipoproteins; LDL, 215
Aggregation
–, Platelet; Lipofundin-S; Lipid emulsion, 19
Alcohol
–, Linoleic acid; Body weight; Total cholesterol; HDL cholesterol, 99
Alcohol consumption
–, Twins; Apoprotein; Cholesterol; Cigarette smoking; Physical exercise; Occupation; Obesity, 1
Angiogram, normal coronary
–, Heterozygous familial hypercholesterolemia; Angiography, coronary; Cholesterol serum; HDL-cholesterol; Achilles tendon thickness; Coronary ectasia, 29
Angiography, coronary
–, Heterozygous familial hypercholesterolemia; Cholesterol serum; HDL-cholesterol; Achilles tendon thickness; Coronary ectasia; Angiogram, normal coronary, 29
Antibody
–, Humoral immunity; Arteritis; Atherosclerosis; Hypercholesterolemia, 77
Aorta
–, Blood pressure; Atherosclerosis; Cholesterol; Nifedipine; Blood chemistry; Heart; Kidney, 63
Aortic intima, human
–, Atherosclerosis; Mitogenesis; Chorioallantoic membrane (chick); Fibrin degradation products, 85
Apo B epitopes
–, Apo B polymorphism; Familial hypercholesterolemia; Coronary artery disease, 153
Apo B polymorphism
–, Apo B epitopes; Familial hypercholesterolemia; Coronary artery disease, 153
Apolipoprotein(s)
–, Lipid transport system; Serum lipoproteins; LDL, 113
–, Restriction fragment length polymorphism; Familial hypertriglyceridemia; Coronary heart disease, 145
Apolipoprotein E cDNA
–, DNA sequencing; Cloning; Dietary cholesterol, 125
Apoprotein
–, Twins; Cholesterol; Alcohol consumption; Cigarette smoking; Physical exercise; Occupation; Obesity, 1
Arterial mechanics
–, Atherosclerosis; Cholesterol feeding; Elastase; Elastic modulus; Stiffness parameter, 259
Arteries
–, Atherosclerosis; Veins; Low density lipoprotein; Uptake; Degradation, 131
Arteriosclerosis
–, Coronary artery disease; Lipoproteins; VLDL, 55
–, Iron; Folic acid; Adult females (monkeys); Western diets; Lipid clearance; Cholesterol crystals; Fibrosis; Metastatic mineralisation, 205
Arteritis
–, Antibody; Humoral immunity; Atherosclerosis; Hypercholesterolemia, 77
Artery
–, Atherosclerosis; Autoradiography; Whole mount; Endothelium, 95
Atherogenesis
–, Keys and Hegsted diet scores; Hypercholesterolemia; Hypocholesterolemia; Friedewald equation; Homocysteine theory; Hemoglobin, 191
Atherosclerosis
–, Antibody; Humoral immunity; Arteritis; Hypercholesterolemia, 77
–, Arterial mechanics; Cholesterol feeding; Elastase; Elastic modulus; Stiffness parameter, 259
–, Arteries; Veins; Low density lipoprotein; Uptake; Degradation, 131
–, Artery; Autoradiography; Whole mount; Endothelium, 95
–, Blood pressure; Cholesterol; Nifedipine; Blood chemistry; Heart; Aorta; Kidney, 63
–, Circulating elastin-derived peptides; ELISA; Elastin; Elastin turnover, 163

0021-9150/87/$03.50 © 1987 Elsevier Scientific Publishers Ireland, Ltd.

–, Mitogenesis; Chorioallantoic membrane (chick); Fibrin degradation products; Aortic intima, human, 85
Autoradiography
–, Artery; Atherosclerosis; Whole mount; Endothelium, 95

Blood chemistry
–, Blood pressure; Atherosclerosis; Cholesterol; Nifedipine; Heart; Aorta; Kidney, 63
Blood pressure
–, Atherosclerosis; Cholesterol; Nifedipine; Blood chemistry; Heart; Aorta; Kidney, 63
Blood pressure
–, Fish oil; Microcirculation; Docosahexaenoic acid; Eicosapentaenoic acid; Olive oil, 237
Body weight
–, Linoleic acid; Alcohol; Total cholesterol; HDL cholesterol, 99

Chemical composition of plasma lipoproteins
–, Dietary linoleate; Plasma lipoprotein fluidity; LDL; Adult men, 215
2-Chloroadenosine
–, Red blood cells; ADP; Spontaneous platelet aggregation; Prostacyclin; Iloprost, 175
Cholesterol
–, Blood pressure; Atherosclerosis; Nifedipine; Blood chemistry; Heart; Aorta; Kidney, 63
–, Cholesteryl esters; Intima; Macrophages; Media; Plasma clearance, 227
–, Twins; Apoprotein; Alcohol consumption; Cigarette smoking; Physical exercise; Occupation; Obesity, 1
Cholesterol crystals
–, Iron; Folic acid; Adult females (monkeys); Western diets; Lipid clearance; Fibrosis; Metastatic mineralisation; Arteriosclerosis, 205
Cholesterol esters
–, Eicosapentaenoic acid; Docosahexaenoic acid; Plasma LCAT; Phosphatidylcholine; Eicosanoids, 11
Cholesterol feeding
–, Arterial mechanics; Atherosclerosis; Elastase; Elastic modulus; Stiffness parameter, 259
Cholesterol serum
–, Heterozygous familial hypercholesterolemia; Angiography, coronary; HDL-cholesterol; Achilles tendon thickness; Coronary ectasia; Angiogram, normal coronary, 29
Cholesteryl esters
–, Cholesterol; Intima; Macrophages; Media; Plasma clearance, 227
Chorioallantoic membrane (chick)
–, Atherosclerosis; Mitogenesis; Fibrin degradation products; Aortic intima, human, 85
–, Chylomicronemia
–, Hypertriglyceridemia; HDL; HDL-cholesterol, 37
Chylomicrons
–, Lipid peroxides; Cultured mouse macrophages, 45
Cigarette smoking
–, Twins; Apoprotein; Cholesterol; Alcohol consumption; Physical exercise; Occupation; Obesity, 1
Circulating elastin-derived peptides
–, ELISA; Elastin; Elastin turnover; Atherosclerosis, 163
Cloning
–, Apolipoprotein E cDNA; DNA sequencing; Dietary cholesterol, 125
Coronary artery disease
–, Apo B epitopes; Apo B polymorphism; Familial hypercholesterolemia, 153
–, Arteriosclerosis; Lipoproteins; VLDL, 55
Coronary ectasia
–, Heterozygous familial hypercholesterolemia; Angiography, coronary; Cholesterol serum; HDL-cholesterol; Achilles tendon thickness; Angiogram, normal coronary, 29
Coronary heart disease
–, Restriction fragment length polymorphism; Apolipoprotein; Familial hypertriglyceridemia, 145
Cultured mouse macrophages
–, Chylomicrons; Lipid peroxides, 45

Degradation
–, Atherosclerosis; Arteries; Veins; Low density lipoprotein; Uptake, 131
Dietary cholesterol
–, Apolipoprotein E cDNA; DNA sequencing; Cloning, 125
Dietary lipid
–, Prostacyclin; Thromboxane; PGI2/TXB2 ratio; Membrane lipid composition, 181
Dietary linoleate
–, Plasma lipoprotein fluidity; Chemical composition of plasma lipoproteins; LDL; Adult men, 215
DNA sequencing
–, Apolipoprotein E cDNA; Cloning; Dietary cholesterol, 125
Docosahexaenoic acid
–, Eicosapentaenoic acid; Plasma LCAT; Phosphatidylcholine; Cholesterol esters; Eicosanoids, 11
–, Fish oil; Microcirculation; Eicosapentaenoic acid; Blood pressure; Olive oil, 237

Eicosanoids
–, Eicosapentaenoic acid; Docosahexaenoic acid; Plasma LCAT; Phosphatidylcholine; Cholesterol esters, 11
Eicosapentaenoic acid
–, Docosahexaenoic acid; Plasma LCAT; Phosphatidylcholine; Cholesterol esters; Eicosanoids, 11
–, Fish oil; Microcirculation; Docosahexaenoic acid; Blood pressure; Olive oil, 237
Elastase
–, Arterial mechanics, Atherosclerosis; Cholesterol feeding; Elastic modulus; Stiffness parameter, 259
Elastic modulus
–, Arterial mechanics; Atherosclerosis; Cholesterol feeding; Elastase; Stiffness parameter, 259
Elastin
–, Circulating elastin-derived peptides; ELISA; Elastin turnover; Atherosclerosis, 163
Elastin turnover
–, Circulating elastin-derived peptides; ELISA; Elastin; Atherosclerosis, 163

ELISA
–, Circulating elastin-derived peptides; Elastin; Elastin turnover; Atherosclerosis, 163
Endothelium
–, Artery; Atherosclerosis; Autoradiography; Whole mount, 95

Familial hypertriglyceridemia
–, Restriction fragment length polymorphism; Apolipoprotein; Coronary heart disease, 145
Familial hypercholesterolemia
–, Apo B epitopes; Apo B polymorphism; Coronary artery disease, 153
Fatty acid synthesis
–, Glucose-6-phosphate dehydrogenase; Malic enzyme; Adipose tissue cellularity, 107
Fibrin degradation products
–, Atherosclerosis; Mitogenesis; Chorioallantoic membrane (chick); Aortic intima, human, 85
Fibrosis
–, Iron; Folic acid; Adult females (monkeys); Western diets; Lipid clearance; Cholesterol crystals; Metastatic mineralisation; Arteriosclerosis, 205
Fish oil
–, Microcirculation; Docosahexaenoic acid; Eicosapentaenoic acid; Blood pressure; Olive oil, 237
Folic acid
–, Iron; Adult females (monkeys); Western diets; Lipid clearance; Cholesterol crystals; Fibrosis; Metastatic mineralisation; Arteriosclerosis, 205
Free fatty acids
–, Monocyte-derived macrophages; LDL; LDL receptor, 139
Friedewald equation
–, Keys and Hegsted diet scores; Hypercholesterolemia; Hypocholesterolemia; Atherogenesis; Homocysteine theory; Hemoglobin, 191

Glucose-6-phosphate dehydrogenase
–, Fatty acid synthesis; Malic enzyme; Adipose tissue cellularity, 107

HDL
–, Hypertriglyceridemia; Chylomicronemia; HDL-cholesterol, 37
–, Hypothyroid rat; Reduced lipoprotein clearance; Receptor-mediated catabolism; LDL, 269
HDL-cholesterol
–, Heterozygous familial hypercholesterolemia; Angiography, coronary; Cholesterol serum; Achilles tendon thickness; Coronary ectasia; Angiogram, normal coronary, 29
–, Hypertriglyceridemia; HDL; Chylomicronemia, 37
–, Linoleic acid; Body weight; Alcohol; Total cholesterol, 99
HDL levels
–, Physical activity; HDL subfractions; Older women; Obesity, 247
HDL subfractions
–, Physical activity; HDL levels; Older women; Obesity, 247
Heart
–, Blood pressure; Atherosclerosis; Cholesterol; Nifedipine; Blood chemistry; Aorta; Kidney, 63
Hemoglobin
–, Keys and Hegsted diet scores; Hypercholesterolemia; Hypocholesterolemia; Friedewald equation; Atherogenesis; Homocysteine theory, 191
Heterozygous familial hypercholesterolemia
–, Angiography, coronary; Cholesterol serum; HDL-cholesterol; Achilles tendon thickness; Coronary ectasia; Angiogram, normal coronary, 29
Homocysteine theory
–, Keys and Hegsted diet scores; Hypercholesterolemia; Hypocholesterolemia; Friedewald equation; Atherogenesis; Hemoglobin, 191
Humoral immunity
–, Antibody; Arteritis; Atherosclerosis; Hypercholesterolemia, 77
Hypercholesterolemia
–, Antibody; Humoral immunity; Arteritis; Atherosclerosis, 77
–, Keys and Hegsted diet scores; Hypocholesterolemia; Friedewald equation; Atherogenesis; Homocysteine theory; Hemogloblin, 191
Hypertriglyceridemia
–, HDL; Chylomicronemia; HDL-cholesterol, 37
Hypocholesterolemia
–, Keys and Hegsted diet scores; Hypercholesterolemia; Friedewald equation; Atherogenesis; Homocysteine theory; Hemoglobin, 191
Hypothyroid rat
–, Reduced lipoprotein clearance; Receptor-mediated catabolism; LDL; HDL, 269

Iloprost
–, Red blood cells; ADP; Spontaneous platelet aggregation; Prostacyclin; 2-Chloroadenosine, 175
Intima
–, Cholesterol; Cholesteryl esters; Macrophages; Media; Plasma clearance, 227
Iron
–, Folic acid; Adult females (monkeys); Western diets; Lipid clearance; Cholesterol crystals; Fibrosis; Metastatic mineralisation; Arteriosclerosis, 205

Keys and Hegsted diet scores
–, Hypercholesterolemia; Hypocholesterolemia; Friedewald equation; Atherogenesis; Homocysteine theory; Hemoglobin, 191
Kidney
–, Blood pressure; Atherosclerosis; Cholesterol; Nifedipine; Blood chemistry; Heart; Aorta, 63

LDL
–, Atherosclerosis; Arteries; Veins; Uptake; Degradation, 131
–, Dietary linoleate; Plasma lipoprotein fluidity; Chemical composition of plasma lipoproteins; Adult men, 215
–, Hypothyroid rat; Reduced lipoprotein clearance; Receptor-mediated catabolism; HDL, 269
–, Lipid transport system; Serum lipoproteins; Apolipoproteins, 113
–, Monocyte-derived macrophages; Free fatty acids; LDL receptor, 139

LDL receptor
–, Monocyte-derived macrophages; Free fatty acids; LDL, 139
Linoleic acid
–, Body weight; Alcohol; Total cholesterol; HDL cholesterol, 99
Lipid clearance
–, Iron; Folic acid; Adult females (monkeys); Western diets; Cholesterol crystals; Fibrosis; Metastatic mineralisation; Arteriosclerosis, 205
Lipid emulsion
–, Platelet; Aggregation; Lipofundin-S, 19
Lipid peroxides
–, Chylomicrons; Cultured mouse, 45
Lipid transport system
–, Serum lipoproteins; Apolipoproteins; LDL, 113
Lipofundin-S
–, Platelet; Aggregation; Lipid emulsion, 19
Lipoproteins
–, Arteriosclerosis; coronary artery disease; VLDL, 55

Macrophages
–, Cholesterol; Cholesteryl esters; Intima; Media; Plasma clearance, 227
Malic enzyme
–, Glucose-6-phosphate dehydrogenase; Fatty acid synthesis; Adipose tissue cellularity, 107
Media
–, Cholesterol; Cholesteryl esters; Intima; Macrophages; Plasma clearance, 227
Membrane lipid composition
–, Dietary lipid; Prostacyclin; Thromboxane; PGI2/TXB2 ratio, 181
Metastatic mineralisation
–, Iron; Folic acid; Adult females (monkeys); Western diets; Lipid clearance; Cholesterol crystals; Fibrosis; Arteriosclerosis, 205
Microcirculation
–, Fish oil; Docosahexaenoic acid; Eicosapentaenoic acid; Blood pressure; Olive oil, 237
Mitogenesis
–, Atherosclerosis; Chorioallantoic membrane (chick); Fibrin degradation products; Aortic intima, human, 85
Monocyte-derived macrophages
–, Free fatty acids; LDL; LDL receptor, 139

Nifedipine
–, Blood pressure; Atherosclerosis; Cholesterol; Blood chemistry; Heart; Aorta; Kidney, 63

Obesity
–, Physical activity; HDL levels; HDL subfractions; Older women, 247
–, Twins; Apoprotein; Cholesterol; Alcohol consumption; Cigarette smoking; Physical exercise; Occupation, 1
Occupation
–, Twins; Apoprotein; Cholesterol; Alcohol consumption; Cigarette smoking; Physical exercise; Obesity, 1
Older women
–, Physical activity; HDL levels; HDL subfractions; Obesity, 247
Olive oil
–, Fish oil; Microcirculation; Docosahexaenoic acid; Eicosapentaenoic acid; Blood pressure, 237

PGI_2/TXB_2 ratio
–, Dietary lipid; Prostacyclin; Thromboxane; Membrane lipid composition, 181
Phosphatidylcholine
–, Eicosapentaenoic acid; Docosahexaenoic acid; Plasma LCAT; Cholesterol esters; Eicosanoids, 11
Physical activity
–, HDL levels; HDL subfractions; Older women; Obesity, 247
Physical exercise
–, Twins; Apoprotein; Cholesterol; Alcohol consumption; Cigarette smoking; Occupation; Obesity, 1
Plasma clearance
–, Cholesterol; Cholesteryl esters; Intima; Macrophages; Media, 227
Plasma LCAT
–, Eicosapentaenoic acid; Docosahexaenoic acid; Phosphatidylcholine; Cholesterol esters; Eicosanoids, 11
Plasma lipoprotein fluidity
–, Dietary linoleate; Chemical composition of plasma lipoproteins; LDL; Adult men, 215
Platelet
–, Aggregation; Lipofundin-S; Lipid emulsion, 19
Prostacyclin
–, Dietary lipid; Thromboxane; PGI2/TXB2 ratio; Membrane lipid composition, 181
–, Red blood cells; ADP; Spontaneous platelet aggregation; Iloprost; 2-Chloroadenosine, 175

Receptor-mediated catabolism
–, Hypothyroid rat; Reduced lipoprotein clearance; LDL; HDL, 269
Red blood cells
–, ADP; Spontaneous platelet aggregation; Prostacyclin; Iloprost; 2-Chloroadenosine, 175
Reduced lipoprotein clearance
–, Hypothyroid rat; Receptor-mediated catabolism; LDL; HDL, 269
Restriction fragment length polymorphism
–, Apolipoprotein; Familial hypertriglyceridemia; Coronary heart disease, 145

Serum lipoproteins
–, Lipid transport system; Apolipoproteins; LDL, 113
Spontaneous platelet aggregation
–, Red blood cells; ADP; Prostacyclin; Iloprost; 2-Chloroadenosine, 175
Stiffness parameter
–, Arterial mechanics; Atherosclerosis; Cholesterol feeding; Elastase; Elastic modulus, 259

Thromboxane
–, Dietary lipid; Prostacyclin; PGI2/TXB2 ratio; Membrane lipid composition, 181
Total cholesterol
–, Linoleic acid; Body weight; Alcohol; HDL cholesterol, 99
Twins

–, Apoprotein; Cholesterol; Alcohol consumption; Cigarette smoking; Physical exercise; Occupation; Obesity, 1

Uptake
–, Atherosclerosis; Arteries; Veins; Low density lipoprotein; Degradation, 131

Veins
–, Atherosclerosis; Arteries; Low density lipoprotein; Uptake; Degradation, 131

VLDL
–, Arteriosclerosis; coronary artery disease; Lipoproteins, 55

Western diets
–, Iron; Folic acid; Adult females (monkeys); Lipid clearance; Cholesterol crystals; Fibrosis; Metastatic mineralisation; Arteriosclerosis, 205

Whole mount
–, Artery; Atherosclerosis; Autoradiography; Endothelium, 95